
SETTLEMENT AGREEMENT EXHIBIT D PART 3

Case 5:16-cv-07013-LHK Document 375-7 Filed 10/07/19 Page 1 of 3





500 Level Accessible Route of Travel and Accessible Signage

ACCESSIBLE SEATING

THE COMPLETED ACCESS BARRIER REMOVAL WORK SHALL COMPLY WITH THE 2010 AMERCIANS WITH DISABILITIES ACT STANDARDS AND THE CALIFORNIA BUILDING CODE IN EFFECT AT THE TIME OF THE WORK.







:: \Users\Cecii\Dropbox\19-008 GW Levi Stadium Litigation\Dwgs\Exhibit-D-6.dwg Dimscale:1 LTScale:384 Plot:[Time:Sep17,2019-08:40pm Login:Cecii] (refs:"X-GW30x42.dwg Images:"A106.jpg"

600 Level Accessible Route of Travel and Accessible Signage

AT THE APPROACH TO ELEVATORS C1, C2, & C3 PROVIDE SIGNAGE AT A LOCATION CLEARLY VISIBLE TO PERSONS WITH DISABILITIES USING A WHEELCHAIR THE LOCATION OF ELEVATOR C4 AND INDICATE IT SERVES THE NRG TERRACE. ALSO PROVIDE SIMILAR SIGNAGE AT THE DOOR LEADING TO THE LOBBY OF ELEVATOR C4.

AT ELEVATORS C1, C2 & C3 PROVIDE SIGNAGE AT A LOCATION CLEARLY VISIBLE TO PERSONS WITH DISABILITIES USING A WHEELCHAIR AND INDICATING THE STADIUM LEVELS THEY SERVE.

3 AT ELEVATORS B2, B3 & B4 PROVIDE SIGNAGE AT A LOCATION CLEARLY VISIBLE TO PERSONS WITH DISABILITIES USING A WHEELCHAIR AND INDICATING THE STADIUM LEVELS THEY SERVE. SIGNAGE SHALL ALSO INDICATE THE ELEVATOR B2 SERVES THE NRG TERRACE.

ENTRY DOOR TO ELEVATORS

ACCESSIBLE ROUTE OF TRAVEL

ELEVATOR LOCATION

ACCESSIBLE SEATING

THE COMPLETED ACCESS BARRIER REMOVAL WORK SHALL COMPLY WITH THE 2010 AMERCIANS WITH DISABILITIES ACT STANDARDS AND THE CALIFORNIA BUILDING CODE IN EFFECT AT THE TIME OF THE WORK.

Scale: NTS

